

ARANI PAR16 LED LAMP V7

CONTRASTE

BPAR16-30K-V7

DIMMING INFORMATIONS

- Dimmers used: ELV and INCANDESCENT/LED

Company	Models	Codes	Types	Performances de gradation				
				Prog.	Dimming Range *	Optimal Performance **	Start Time	
LUTRON	DIVA (MIN 10 UNITS)	DVCL-153P	INC/LED	YES	1% - 100%	5% - 100%	< 1 sec.	
	DIVA	DVELV-300P	ELV	NO	13% - 100%	13% - 100%	< 1 sec.	
	GRAFIK T	GTJ-5NEM-WH	ELV	YES	15% - 100%	15% - 100%	< 1 sec.	
	MAESTRO	MAELV-600 Slider	ELV	NO	19% - 100%	19% - 100%	< 1 sec.	
	MAESTRO	MAELV-600 Pull Tab	ELV	YES	3% - 100%	3% - 100%	< 1 sec.	
	DISCONTINUED	MAESTRO RF	MRF2-6ELV-120	ELV	YES	3% - 100%	3% - 100%	< 1 sec.
		MAESTRO C-L	MACL-153M	INC/LED	YES	3% - 100%	3% - 100%	< 1 sec.
		MAESTRO C-L	MSCL-OP153M-WH	INC/LED	YES	3% - 100%	3% - 100%	< 1 sec.
	DISCONTINUED	NOVA T	NTELV-600	ELV	NO	3% - 100%	3% - 100%	< 1 sec.
RADIO RA2		RRD-6NA-WH	ELV	YES	3% - 100%	3% - 100%	< 1 sec.	
SKYLARK		SCL-153P	INC/LED	YES	2% - 100%	2% - 100%	< 1 sec.	
SPACER SYSTEM		SPSELV-600	ELV	NO	19% - 100%	19% - 100%	< 1 sec.	
LEVITON	DECORA	6674	INC/LED	YES	0% - 100%	2% à 100%	< 1 sec.	
	DECORA	DSE06-10Z	ELV	NO	7% - 100%	7% - 100%	< 1 sec.	
	DECORA	DSL06	INC/LED	NO	2% - 100%	2% - 100%	< 1 sec.	
	DECORA	DSM10-1LZ	INC/LED	NO	2% - 100%	2% - 100%	< 1 sec.	
	DECORA	IPE04-LAW	ELV	YES	23% - 100%	23% - 100%	< 1 sec.	
	RENOIR II	AWSMG-EB	ELV	NO	0% - 100%	10% - 100%	< 1 sec.	
	RENOIR II	AWSMT-EAW	ELV	NO	0% - 100%	10% - 100%	< 1 sec.	
	VIZIA RF +	VRE06-1LZ	ELV	YES	20% - 100%	20% - 100%	< 1 sec.	
	VIZIA	IPE04-1LZ	ELV	YES	20% - 100%	20% - 100%	< 1 sec.	
	VIZIA +	VPE06-1LZ	ELV	YES	2% - 100%	3% - 100%	< 1 sec.	
	VIZIA RF +	VRMX1-1LZ	INC/LED	YES	18% - 100%	18% - 100%	< 1 sec.	

* Full Dimming Range

** Optimal Performance: Dimming range for ideal synchronized startup conditions

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE

1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 Canada
Tel.: 1-888-839-4624
Fax: 1-877-839-7057
info@contrastlighting.com
contrastlighting.com

© 2018 Contrast Lighting M.L. Inc.
All rights reserved

Contrast Lighting reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

ARANI GU10 LED LAMP V7

CONTRASTE

BGU10-30K-V7

DIMMING INFORMATION

• Dimmers used: ELV and INCANDESCENT/LED

Company	Models	Codes	Types	Performances de gradation				
				Prog.	Dimming Range *	Optimal Performance **	Start Time	
LUTRON	CASÉTA	PD-10NXD	INC/LED	YES	23% - 100%	23% - 100%	< 1 sec.	
	CASÉTA	PD-6WCL	INC/LED	YES	4% - 100%	7% - 100%	< 1 sec.	
	DIVA	DVELV-300P	ELV	NO	12% - 100%	12% - 100%	< 1 sec.	
	GRAFIK T	GTJ-5NEM-WH	ELV	YES	15% - 100%	15% - 100%	< 1 sec.	
	MAESTRO	MAELV-600 Slider	ELV	YES	18% - 100%	18% - 100%	< 1 sec.	
	MAESTRO	MAELV-600 Pull Tab	ELV	NO	4% - 100%	4% - 100%	< 1 sec.	
	DISCONTINUED	MAESTRO RF	MRF2-6ELV-120	ELV	YES	4% - 100%	4% - 100%	< 1 sec.
		MAESTRO C-L	MAELV-153M	INC/LED	YES	4% - 100%	4% - 100%	< 1 sec.
		NOVA T	NTELV-600	ELV	NO	23% - 100%	23% - 100%	< 1 sec.
	DISCONTINUED	RADIO RA2	RRD-6NA-WH	ELV	NO	4% - 100%	4% - 100%	< 1 sec.
DIVA		DVCL-153PH	INC/LED/HAL	YES	20% - 100%	20% - 100%	< 1 sec.	
SPACER SYSTEM		SPSELV-600	ELV	YES	18% - 100%	18% - 100%	< 1 sec.	
LEVITON	DECORA	6674	INC/LED	YES	0% - 100%	1% - 100%	< 1 sec.	
	DECORA	DDMX1-BLZ	INC/LED	YES	15% - 100%	15% - 100%	< 1 sec.	
	DECORA	DSE06-10Z	ELV	YES	8% - 100%	8% - 100%	> 1 sec.	
	DECORA	DSL06	INC/LED	NO	2% - 100%	2% - 100%	< 1 sec.	
	DECORA	DSM10-1LZ	INC/LED	NO	2% - 100%	2% - 100%	< 1 sec.	
	DECORA	IPE04-LAW	ELV	NO	21% - 100%	21% - 100%	< 1 sec.	
	DECORA	IPL06-10Z	INC/LED	YES	3% - 100%	3% - 100%	< 1 sec.	
	RENOIR II	AWSMT-EAW	ELV	YES	0% - 100%	21% - 100%	< 1 sec.	
	VIZIA RF +	VRE06-1LZ	ELV	NO	18% - 100%	18% - 100%	< 1 sec.	
	VIZIA	IPE04-1LZ	ELV	YES	20% - 100%	20% - 100%	< 1 sec.	
	VIZIA RF +	VRMX1-1LZ	INC/LED	YES	14% - 100%	14% - 100%	< 1 sec.	
LEGRAND	ADORNE	ADTH700RMTU Min 50W	ELV	YES	0% - 100%	12% - 100%	< 1 sec.	
	ADORNE	ADTP700MMTUM2 Min 50W	ELV	YES	9% - 100%	9% - 100%	< 1 sec.	
	ADORNE	ADTP700RMTU Min 50W	ELV	YES	0% - 100%	1% - 100%	< 1 sec.	
	ADORNE	ADTP700TUM4 Min 6W	ELV	YES	0% - 100%	20% - 100%	< 1 sec.	
	ADORNE	ADWR700MMTU Min 50W	ELV	YES	0% - 100%	2% - 100%	< 1 sec.	
	COOPER	Aspire RF	RF9540-NDW	ELV	YES	3% - 100%	3% - 100%	< 1 sec.
Key AL		SAL06P	ELV	YES	11% - 100%	11% - 100%	< 1 sec.	

* Full Dimming Range

** Optimal Performance: Dimming range for ideal synchronized startup conditions

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE

1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 Canada
Tel.: 1-888-839-4624
Fax: 1-877-839-7057
info@contrastlighting.com
contrastlighting.com

© 2018 Contrast Lighting M.L. Inc.
All rights reserved

Contrast Lighting reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

ARANI PAR20 LED LAMP V7

CONTRASTE

BPAR20-30K-V7

DIMMING INFORMATION

• Dimmers used: ELV and ELV et INCANDESCENT/LED

Company	Models	Codes	Types	Performances de gradation				
				Prog.	Dimming Range *	Optimal Performance **	Start Time	
LUTRON	CASÉTA	PD-10NXD	INC/LED	YES	10% - 100%	10% - 100%	< 1 sec.	
	CASÉTA	PD-6WCL	INC/LED	YES	7% - 100%	7% - 100%	< 1 sec.	
	DIVA	DVCL-153P	INC/LED	YES	3% - 100%	3% - 100%	< 1 sec.	
	DIVA	DVELV-300P	ELV	NO	10% - 100%	10% - 100%	< 1 sec.	
	GRAFIK T	GTJ-5NEM-WH	ELV	YES	14% - 100%	14% - 100%	< 1 sec.	
	MAESTRO	MAELV-600 Slider	ELV	NO	16% - 100%	16% - 100%	< 1 sec.	
	MAESTRO	MAELV-600 Pull Tab	ELV	YES	5% - 100%	5% - 100%	< 1 sec.	
	DISCONTINUED	MAESTRO RF	MRF2-6ELV-120	ELV	YES	5% - 100%	5% - 100%	> 1 sec.
	NOVA T	MAELV-600 Pull Tab	ELV	YES	5% - 100%	5% - 100%	< 1 sec.	
	DISCONTINUED	MAESTRO C-L	MAELV-600 Pull Tab	ELV	YES	5% - 100%	5% - 100%	< 1 sec.
LEVITON	DECORA	6674	INC/LED	YES	3% - 100%	3% - 100%	< 1 sec.	
	DECORA	DDMX1-BLZ	INC/LED	YES	14% - 100%	14% - 100%	< 1 sec.	
	DECORA	DSE06-10Z	ELV	NO	8% - 100%	8% - 100%	< 1 sec.	
	DECORA	DSL06	INC/LED	NO	7% - 100%	7% - 100%	< 1 sec.	
	DECORA	DSM10-1LZ	INC/LED	NO	7% - 100%	7% - 100%	< 1 sec.	
	DECORA	IPE04-LAW	ELV	YES	16% - 100%	16% - 100%	< 1 sec.	
	RENOIR II	AWSMG-EB	ELV	NO	2% - 100%	2% - 100%	> 1 sec.	
	RENOIR II	AWSMT-EAW	ELV	NO	1% - 100%	1% - 100%	> 1 sec.	
	VIZIA RF +	VRE06-1LZ	ELV	YES	15% - 100%	15% - 100%	< 1 sec.	
	VIZIA	IPE04-1LZ	ELV	YES	8% - 100%	8% - 100%	< 1 sec.	
LEGRAND	ADORNE	ADTP700MMTUM2 Min 50W	ELV	YES	0% - 100%	2% - 100%	> 1 sec.	
	ADORNE	ADWR700MMTU Min 50W	ELV	YES	0% - 100%	3% - 100%	< 1 sec.	
	Pass & Seymour	H703PTUTC Min 6W	ELV	YES	2% - 100%	2% - 100%	< 1 sec.	
COOPER	Devine	DAL06P-C4	ELV	YES	10% - 100%	10% - 100%	< 1 sec.	

* Full Dimming Range

** Optimal Performance: Dimming range for ideal synchronized startup conditions

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE

1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 Canada
Tel.: 1-888-839-4624
Fax: 1-877-839-7057
info@contrastlighting.com
contrastlighting.com

© 2018 Contrast Lighting M.L. Inc.
All rights reserved

Contrast Lighting reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.