

PROFILUXSerie Round
PROFILUX 6"**CONTRASTE**

Company	Model	Code	Type	Minimum luminaires (per circuit)	Dimmer Performance		
					Programmable	Dimming Range*	Optimal Performance**
Lutron	Skylark	SELV-300P	ELV	1	NA	1% - 100%	6% - 100%
Lutron	Diva	DVELV-300P	ELV	1	NA	1% - 100%	7% - 100%
Lutron	Nova T	NTELV-600	ELV	1	NA	1% - 100%	8% - 100%
Lutron	Radio RA2	RRD-6NA-WH	ELV	6	YES	1% - 100%	7% - 100%
Lutron	Maestro	MAELV-600 Pull Tab	ELV	1	YES	1% - 100%	19% - 100%
Lutron DISCONTINUED	Maestro	MRF2-6ELV-120	ELV	1	YES	1% - 100%	10% - 100%
Lutron	Diva	DVCL-153P	LED/CFL/Inc/Hal	1	YES	1% - 100%	4% - 100%
Lutron	Skylark	CTCL-153P***	LED/CFL/Inc/Hal	1	YES	1% - 100%	0% - 100%
Lutron	Skylark	SCL-153P***	LED/CFL/Inc/Hal	1	YES	1% - 100%	0% - 100%
Leviton	Decora	DSE06-10Z	ELV	1	NA	1% - 100%	25% - 100%
Leviton	Decora	IPE04-LAW	ELV	1	YES	1% - 100%	13% - 100%
Leviton	Renoir II	AWSMT-EAW	ELV	1	NA	1% - 100%	6% - 100%
Leviton	Renoir II	AWSMG-EB	ELV	1	NA	1% - 100%	8% - 100%
Leviton	Vizia +	VPE06-1LZ	ELV	1	YES	1% - 100%	6% - 100%
Leviton	Vizia RF +	VRMX-1	LED/CFL/Inc/MLV/ Mark-10	1	YES	1% - 100%	14% - 100%
Leviton	Decora	DSM10-1LZ***	LED/CFL/Inc/MLV	1	YES	1% - 100%	0% - 100%
Leviton	Decora	DSL06***	LED/CFL/Inc	1	YES	1% - 100%	0% - 100%
Leviton	Decora	DDMX1-BLZ***	LED/CFL/Inc/MLV/ Mark 10	1	YES	0% - 100%	0% - 100%
Leviton	Decora	IPL06-10Z***	LED/CFL/Inc	1	NA	1% - 100%	0% - 100%
Leviton	Illumatech	IPL06***	LED/CFL/Inc	1	NA	1% - 100%	0% - 100%
Leviton	Decora	6674***	LED/CFL/Inc	1	NA	1% - 100%	0% - 100%
LeGrand	Pass & Seymour	H703PTUTC Min 6W	ELV	1	Auto	2% - 100%	7% - 100%

* = Full Dimming Range

** = Optimal Performance: Recommended dimming range for synchronized startup conditions

*** = Audible noise may be observed when used with this dimmer, depending on the application.

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 CanadaTel.: 1-888-839-4624
Fax: 1-877-839-7057

info@contrastlighting.com

© 2018 Contrast Lighting M.L. Inc.
All rights reservedContrast Lighting reserves the right to make changes in specifications and/
or to discontinue any product at any time without notice or obligation and will
not be liable for any consequences resulting from the use of this publication.

PROFILUXSerie Square
PROFILUX 6"**CONTRASTE**

Company	Model	Code	Type	Minimum luminaires (per circuit)	Dimmer Performance		
					Programmable	Dimming Range*	Optimal Performance**
Lutron	Skylark	SELV-300P	ELV	1	NA	1% - 100%	5% - 100%
Lutron	Diva	DVELV-300P	ELV	1	NA	1% - 100%	5% - 100%
Lutron	Nova T	NTELV-600	ELV	1	NA	1% - 100%	9% - 100%
Lutron	Radio RA2	RRD-6NA-WH	ELV	1	YES	1% - 100%	4% - 100%
Lutron	Maestro	MAELV-600 Slider	ELV	1	NA	1% - 100%	20% - 100%
Lutron	Maestro	MAELV-600 Pull Tab	ELV	1	YES	1% - 100%	18% - 100%
Lutron DISCONTINUED	Maestro	MRF2-6ELV-120	ELV	1	YES	1% - 100%	5% - 100%
Lutron	Grafik T	GTJ-5NEM-WH	ELV	1	YES	1% - 100%	9% - 100%
Lutron	Spacer System	SPSELV-600	ELV	1	NA	1% - 100%	20% - 100%
Lutron	Diva	DVCL-153P	LED/CFL/Inc/Hal	1	YES	1% - 100%	10% - 100%
Lutron	Skylark	CTCL-153P***	LED/CFL/Inc/Hal	1	YES	1% - 100%	10% - 100%
Lutron	Skylark	SCL-153P***	LED/CFL/Inc/Hal	1	YES	1% - 100%	14% - 100%
Leviton	Decora	DSE06-10Z	ELV	1	NA	1% - 100%	27% - 100%
Leviton	Decora	IPE04-LAW	ELV	1	YES	1% - 100%	13% - 100%
Leviton	Renoir II	AWSMT-EAW	ELV	1	NA	1% - 100%	4% - 100%
Leviton	Renoir II	AWSMG-EB	ELV	1	NA	1% - 100%	5% - 100%
Leviton	Vizia +	VPE06-1LZ	ELV	1	YES	1% - 100%	27% - 100%
Leviton	Visia RF +	VRE06-1LZ	ELV	1	YES	1% - 100%	11% - 100%
Leviton	Decora	DSM10-1LZ***	LED/CFL/Inc/MLV	1	YES	1% - 100%	20% - 100%
Leviton	Decora	DSL06***	LED/CFL/Inc	1	YES	1% - 100%	18% - 100%
Leviton	Decora	DDMX1-BLZ***	LED/CFL/Inc/MLV/ Mark 10	1	YES	1% - 100%	20% - 100%
LeGrand	Pass & Sey- mour	H703PTUTC Min 6W	ELV	6	Auto	1% - 100%	4% - 100%

* = Full Dimming Range

** = Optimal Performance: Recommended dimming range for synchronized startup conditions

*** = Audible noise may be observed when used with this dimmer, depending on the application.

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 CanadaTel.: 1-888-839-4624
Fax: 1-877-839-7057

info@contrastlighting.com

© 2018 Contrast Lighting M.L. Inc.
All rights reservedContrast Lighting reserves the right to make changes in specifications and/
or to discontinue any product at any time without notice or obligation and will
not be liable for any consequences resulting from the use of this publication.

PROFILUXSerie Round
PROFILUX 4"**CONTRASTE**

Company	Model	Code	Type	Minimum luminaires (per circuit)	Dimmer Performance		
					Programmable	Dimming Range*	Optimal Performance**
Lutron	Skylark	SELV-300P	ELV	1	NA	1% - 100%	5% - 100%
Lutron	Diva	DVELV-300P	ELV	1	NA	1% - 100%	6% - 100%
Lutron	Nova T	NTELV-600	ELV	1	NA	1% - 100%	10% - 100%
Lutron	Radio RA2	RRD-6NA-WH	ELV	1	YES	1% - 100%	5% - 100%
Lutron DISCONTINUED	Maestro	MRF2-6ELV-120	ELV	1	YES	1% - 100%	12% - 100%
Lutron	Grafik T	GTJ-5NEM-WH	ELV	1	YES	1% - 100%	6% - 100%
Lutron	Diva	DVCL-153P***	LED/CFL/Inc/Hal	1	YES	15% - 100%	15% - 100%
Lutron	Skylark	CTCL-153P***	LED/CFL/Inc/Hal	1	YES	2% - 100%	2% - 100%
Lutron	Skylark	SCL-153P***	LED/CFL/Inc/Hal	1	YES	1% - 100%	1% - 100%
Leviton	Decora	IPE04-LAW	ELV	1	YES	1% - 100%	7% - 100%
Leviton	Renoir II	AWSMT-EAW	ELV	1	NA	1% - 100%	10% - 100%
Leviton	Renoir II	AWSMG-EB	ELV	1	NA	1% - 100%	9% - 100%
Leviton	Vizia +	VPE06-1LZ	ELV	1	YES	1% - 100%	5% - 100%
Leviton	Visia RF +	VRE06-1LZ	ELV	1	YES	1% - 100%	6% - 100%
Leviton	Vizia RF +	VRMX-1	LED/CFL/Inc/MLV/ Mark-10	1	YES	1% - 100%	21% - 100%
Leviton	Decora	DSM10-1LZ***	LED/CFL/Inc/MLV	1	YES	1% - 100%	1% - 100%
Leviton	Decora	DSL06***	LED/CFL/Inc	1	YES	1% - 100%	1% - 100%
Leviton	Decora	DDMX1-BLZ***	LED/CFL/Inc/MLV/ Mark 10	1	YES	0% - 100%	1% - 100%
Leviton	Decora	IPL06-10Z***	LED/CFL/Inc	1	NA	1% - 100%	1% - 100%
Leviton	Illumatech	IPL06***	LED/CFL/Inc	1	NA	1% - 100%	1% - 100%
Leviton	Decora	6674***	LED/CFL/Inc	1	NA	1% - 100%	1% - 100%
LeGrand	Pass & Seymour	H703PTUTC Min 6W	ELV	1	Auto	1% - 100%	5% - 100%

* = Full Dimming Range

** = Optimal Performance: Recommended dimming range for synchronized startup conditions

*** = Audible noise may be observed when used with this dimmer, depending on the application.

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 CanadaTel.: 1-888-839-4624
Fax: 1-877-839-7057

info@contrastlighting.com

© 2018 Contrast Lighting M.L. Inc.
All rights reservedContrast Lighting reserves the right to make changes in specifications and/
or to discontinue any product at any time without notice or obligation and will
not be liable for any consequences resulting from the use of this publication.

PROFILUXSerie Square
PROFILUX 4"**CONTRASTE**

Company	Model	Code	Type	Minimum luminaires (per circuit)	Dimmer Performance		
					Programmable	Dimming Range*	Optimal Performance**
Lutron	Skylark	SELV-300P	ELV	1	NA	1% - 100%	6% - 100%
Lutron	Diva	DVELV-300P	ELV	1	NA	1% - 100%	6% - 100%
Lutron	Nova T	NTELV-600	ELV	1	NA	1% - 100%	6% - 100%
Lutron	Radio RA2	RRD-6NA-WH	ELV	1	YES	1% - 100%	24% - 100%
Lutron	Maestro	MAELV-600 Pull Tab	ELV	6	YES	1% - 100%	5% - 100%
Lutron DISCONTINUED	Maestro	MRF2-6ELV-120	ELV	1	YES	1% - 100%	6% - 100%
Lutron	Diva	DVCL-153P	LED/CFL/Inc/Hal	1	YES	1% - 100%	4% - 100%
Lutron	Skylark	CTCL-153P	LED/CFL/Inc/Hal	1	YES	1% - 100%	4% - 100%
Lutron	Skylark	SCL-153P***	LED/CFL/Inc/Hal	1	YES	1% - 100%	6% - 100%
Leviton	Decora	DSE06-10Z	ELV	1	NA	1% - 100%	5% - 100%
Leviton	Decora	IPE04-LAW	ELV	6	YES	1% - 100%	5% - 100%
Leviton	Renoir II	AWSMT-EAW	ELV	1	NA	1% - 100%	10% - 100%
Leviton	Renoir II	AWSMG-EB	ELV	1	NA	1% - 100%	10% - 100%
Leviton	Vizia +	VPE06-1LZ	ELV	1	YES	1% - 100%	5% - 100%
Leviton	Vizia	IPE04-1LZ	ELV	1	YES	1% - 100%	20% - 100%
Leviton	Vizia RF +	VRMX-1	LED/CFL/Inc/MLV/ Mark-10	1	YES	1% - 100%	11% - 100%
Leviton	Decora	DSM10-1LZ***	LED/CFL/Inc/MLV	1	YES	1% - 100%	23% - 100%
LeGrand	Pass & Seymour	H703PTUTC Min 6W	ELV	1	Auto	3% - 100%	12% - 100%

* = Full Dimming Range

** = Optimal Performance: Recommended dimming range for synchronized startup conditions

*** = Audible noise may be observed when used with this dimmer, depending on the application.

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 CanadaTel.: 1-888-839-4624
Fax: 1-877-839-7057

info@contrastlighting.com

© 2018 Contrast Lighting M.L. Inc.
All rights reservedContrast Lighting reserves the right to make changes in specifications and/
or to discontinue any product at any time without notice or obligation and will
not be liable for any consequences resulting from the use of this publication.