

LED Post Top Luminaire  
LUMENOVA LANTERN



Date	Fixture
Qty	Client

# Lumenova Lantern

## Post Top Luminaire

### Features

Coach style lamp post luminaire  
LED technology and efficiency  
Aluminum construction  
Wet rated

### Specifications


Efficacy	125 Lm/W
CRI	84
Color Temp.	3000K, 3500K, 4000K, 5000K
Lumen Maintenance	L70 > 200,000
Voltage	120/277V   347V
Operating Temp.	-40°C to +40°C
Mounting Options	Post Top Mounting



### Output Performance

MODELS	Input Watts	Lm/W	Delivered Lumens
Lumenova Lantern	48	125	6,000
	65	125	8,125

### Dimensions




Specifications subject to change without notice.

**Ordering Guide**

MODEL	WATTS	COLOR TEMP	VOLTAGE	LENS	FINISH	MOUNTING	WIRING
Lumenova Lantern	<b>48</b>	<b>3K</b> 3000K	<b>U</b> 120/277V	<b>FR</b> Frosted	<b>BLK</b> Black	<b>POST TOP</b>	<b>BFC</b> Black Flexible Cord <b>WFC</b> White Flexible Cord
	<b>65</b>	<b>35K</b> 3500K	<b>H</b> 347V				
		<b>4K</b> 4000K					
		<b>5K</b> 5000K					
Lumenova Lantern				<b>FR</b>	<b>BLK</b>	<b>POST TOP</b>	







STREET

