




SPECIFICATION SHEET : TCD11200350-11C This Is An Original Product From Fulham Co., Inc


Description : Independent direct current power supply. Triac dimmable, power output to 11W

This Driver Will Operate Following LED Models: Any module designed to accept 350mA, Constant current with voltage of 12-40V

ELECTRICAL DATA

| INPUT VOLT: 120V ± 10%, 50/60Hz | |
|------------------------------------|------------------------------|
| POWER FACTOR | > 0.7 @ FULL LOAD |
| THD | <10% |
| EFFICIENCY | >75% |
| CURRENT PROTECTION | Yes |
| CONSTANT CURRENT, VOLTAGE OR POWER | Constant Current |
| OUTPUT CURRENT | 350mA |
| OUTPUT VOLTAGE | 12-40V |
| OUTPUT SHORT CIRCUIT PROTECTION | Yes |
| OUTPUT OPEN CIRCUIT PROTECTION | Yes |
| OUTPUT TO GROUND SHORT PROTECTION | Yes |
| OVER LOAD PROTECTION | Yes |
| DIMMING CONTROLLER TYPE | Triac Phase Control Dimmer |
| DIMMING RANGE | 100%~25% |
| EMI | Non Consumer (Class A) |
| MAX. CASE HOT SPOT TEMPERATURE | 87°C |
| MIN. LAMP STARTING TEMPERATURE | 0°C |
| MAX. POSSIBLE AMBIENT TEMPERATURE | 75°C |
| SERVICE LIFE | 50,000 hours |
| APPROVALS/CLASS | UR/cUR Class2, Damp location |





Fulham extends a limited warranty only to the original purchaser or to the first user for a period of 5 years from the date of manufacture when properly installed and operated under normal conditions of use. For complete terms and conditions, please reference the Fulham product catalog (www.fulham.com) Due to a program of continuous improvement, Fulham reserves the right to make modifications or variations in design or construction to the equipment described. 2011-276 REV D