

SYLVANIA LED Specialty Lamps



Key Features & Benefits

- Available in a variety of shapes, sizes, and base configurations
- Available in 3000K CCT
- UV and IR free
- Clean design and fully enclosed lamps
- Long life up to 10,000 or 15,000 hours (L70)
- Suitable for both residential and commercial applications

Product Offering

Bulb Shape	Base Type	Wattage	CCT
C7	E12	1	3000K
G4.5	E10	0.5	3000K
S6	E12	1	3000K
S11	E26	1.5	3000K
T6	BA15D	3.5	3000K
T6	E11	3.5	3000K
T6	G4	1, 2, 2.5	3000K
T6	R7S	12	3000K
T6	GY6.35	2	3000K
T6	G8	2, 4.5	3000K
T6	GY8.6	2	3000K
T6	G9	2, 3.5	3000K
T6	WEDGE	2	3000K
T6	E17	2, 4	3000K

Specifications and Certifications



SYLVANIA LED Specialty Lamps are direct replacements for halogen lamps. They are available in a variety of shapes and base types, and in a natural white 3000K.

The compact size of the Specialty Lamps makes them ideal for a variety of applications in both residential and commercial applications, including vehicles, closets, under cabinets, chandeliers, displays, sconces, task lighting, and work lamps.

These bulbs have all the features of your typical LEDs, such as low heat emission, high energy efficiency, and a long rated life of 10,000 or 15,000 hours (L70).

Application Information

Applications

- Chandeliers
- Closets
- Sconces
- Task lights
- Work lamps

Application Notes

1. Operating temperatures between -20°C and 45°C.
2. Suitable for damp locations.
3. Not suitable for dimming applications.



Specification Data

Catalog #	Type
Project	
Comments	
Prepared by	

Ordering Guide

LED	XX	/	G4	/	X	/	8	30	/	BL
LED Lamp	Wattage 0.5 = 0.5W 1 = 1W 1.5 = 1.5W 2 = 2W 2.5 = 2.5W 3.5 = 3.5W 4 = 4W 4.5 = 4.5W 12 = 12W	/	Base Type BA15D, E12, E11, E10, G4, GY6.35, G8, GY8.6, G9, R7S, E26, E17, WEDGE	/	F = Frosted _ = Clear	/	CRI= 80+	Color Temperature	/	Blister Pack

Ordering Information

Item Number	Ordering Abbreviation	Bulb Shape	Bulb Type	Wattage	Lumens (lm)	Replacement Wattage	Finish	Input Voltage	Avg. Rated Life (L70)	CCT	CRI	Dimmable
74669*	LED3.5BA15DF830BL 6/CS 1/SKU	T6	BA15D	3.5	250	25	Frosted	120	15,000	3000K	80	No
74672	LED1C7F830BL 6/CS 1/SKU	C7	E12	1	30	5	Frosted	120	15,000	3000K	80	No
74673	LED1C7830BL 6/CS 1/SKU	C7	E12	1	30	5	Clear	120	15,000	3000K	80	No
74667*	LED3.5E11F830BL 6/CS 1/SKU	T6	E11	3.5	250	25	Frosted	120	15,000	3000K	80	No
74659*	LED2.5G4F830BL 6/CS 1/SKU	T6	G4	2.5	190	20	Frosted	12	15,000	3000K	80	No
74665*	LED0.5G4.5830BL 6/CS 1/SKU	G4.5	E10	0.5	10	2	Clear	6	15,000	3000K	80	No
74661*	LED2GY6.35F830BL 6/CS 1/SKU	T6	GY6.35	2	160	20	Frosted	120	15,000	3000K	80	No
74660*	LED2G8F830BL 6/CS 1/SKU	T6	G8	2	160	20	Frosted	120	15,000	3000K	80	No
74662*	LED2GY8.6F830BL 6/CS 1/SKU	T6	GY8.6	2	160	20	Frosted	120	15,000	3000K	80	No
74663*	LED3.5G9F830BL 6/CS 1/SKU	T6	G9	3.5	250	25	Frosted	120	15,000	3000K	80	No
74677	LED12R7S830BL 6/CS 1/SKU	T6	R7S	12	1550	150	Frosted	120	15,000	3000K	80	No
74670*	LED3.5S6F830BL 6/CS 1/SKU	S6	E12	1	30	5	Frosted	120	15,000	3000K	80	No
74671	LED1S6830BL 6/CS 1/SKU	S6	E12	1	30	5	Clear	120	15,000	3000K	80	No
74674	LED1.5S11F830BL 6/CS 1/SKU	S11	E26	1.5	70	10	Frosted	120	15,000	3000K	80	No
74675	LED1.5S11830BL 6/CS 1/SKU	S11	E26	1.5	70	10	Clear	120	15,000	3000K	80	No
74676	LED2T6830BL 6/CS 1/SKU	T6	E17	2	180	20	Clear	120	15,000	3000K	80	No
74664*	LED2WEDGEF830BL 6/CS 1/SKU	T6	WEDGE	2	160	20	Frosted	12	15,000	3000K	80	No
41458	LED3.5T6E11830BL 6/CS 1/SKU	T6	E11	3.5	350	35	Clear	120	10,000	3000K	80	Yes
41461	LED2T6G8830BL 6/CS 1/SKU	T6	G8	2	170	20	Clear	120	10,000	3000K	80	Yes
41463	LED4T6E17930B 6/CS 1/SKU	T6	E17	4	350	40	Clear	120	15,000	3000K	80	No
41459	LED2T6G4830BL 6/CS 1/SKU	T6	G4	2	160	20	Clear	12	10,000	3000K	80	No
41462	LED3.5T6G9830BL 6/CS 1/SKU	T6	G9	3.5	350	35	Clear	120	10,000	3000K	90	Yes
41464	LED1T6G4830BL 6/CS 1/SKU	T6	G4	1	90	10	Clear	12	10,000	3000K	80	No
41465	LED4.5T6G8830BL 6/CS 1/SKU	T6	G8	4.5	400	50	Clear	120	10,000	3000K	80	Yes
41466	LED2T6G9830BL 6/CS 1/SKU	T6	G9	2	160	20	Clear	120	10,000	3000K	80	No

*Once inventory is depleted, NAED will be obsolete


74667 replaced by 41458

74659 replaced by 41459

74663 replaced by 41462

74660 replaced by 41461

Lamp Dimensions



LEDVANCE LLC
 181 Ballardvale Street
 Wilmington, MA 01887 USA
 Phone 1-800-LIGHTBULB (1-800-544-4828)
 www.ledvanceUS.com

SYLVANIA and LEDVANCE are registered trademarks.
 All other trademarks are those of their respective owners.
 Licensee of product trademark SYLVANIA in general lighting.
 Specifications subject to change without notice.

[/sylvania](https://twitter.com/sylvania) [/sylvania](https://facebook.com/sylvania)

