

Project _____
 Schedule / Date _____
 Notes _____
 Catalog Number _____

DAL

Product Description

naturalLED® Decorative Accent fixtures feature a soft white light, created by a diffused acrylic lens, and a nickel finished trim. This dimmable fixture has 50,000 hours average rated life, is available in a 12” and 24” size, and may be mounted horizontally or vertically.

Our Decorator Accent fixture can be in used in residential, commercial, hospitality, office buildings and many other applications, making it a perfect energy saving and low maintenance LED solution.



Features & Benefits

- ▶ Energy Star Certified
- ▶ Damp Rated
- ▶ Lightweight for easy installation
- ▶ Excellent thermal design
- ▶ Uniform and consistent color
- ▶ Long Life LED chips
- ▶ UL Listed
- ▶ Rated 50,000 hours average life
- ▶ UV Coated Frosted Polycarbonate
- ▶ Finish: Nickel

Specifications

- ▶ Input line voltage: 120V
- ▶ Dimmable
- ▶ Operating temperature: -22°F ~ 122°F
- ▶ Available in 12-inch and 24-inch configurations

Applications

- ▶ Bathroom Lighting
- ▶ Over Mirror Lighting
- ▶ Hotel Bathroom Lighting
- ▶ Furniture Top Lighting
- ▶ Make-up Mirror Lighting




Optional Accessories (for 24” Fixture only)

▶ Pull Chain





▶ Toggle Switch



RETROFIT / SAVE ENERGY
 Replace CFL and Incandescent light with LED

Incandescent and CFL → LED

Ordering Information

Code	Description	CCT	Watt	Lumen	Equiv Wattage	Size	Beam Angle	Dim	Rated Hrs		
7018	LED-FXDAL23/12FR/830/NI	3000K	23	1,610	150	12-inch	Flood	Yes	50,000	•	•
7019	LED-FXDAL23/12FR/840/NI	4000K	23	1,610	150	12-inch	Flood	Yes	50,000	•	•
7020	LED-FXDAL23/24FR/830/NI	3000K	23	2,000	200	24-inch	Flood	Yes	50,000	•	•
7021	LED-FXDAL23/24FR/840/NI	4000K	23	2,000	200	24-inch	Flood	Yes	50,000	•	•

Accessories (available for purchase)

Pull Chain

P10077 SWCH-ZE109-NI
(Pull String Switch Nackle)




Switch

P10078 SWCH-ZE204A
(Toggle Switch)



Photometric Data


FXDAL23 / 12"




Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	107.96	6.70
0-40	212.65	13.20
0-60	491.87	30.50
60-80	332.94	20.60
70-80	172.51	10.70
90-120	399.27	24.70
90-180	610.52	37.80
0-180	1613.77	100.00

Total Luminaire Efficiency = 100.00%




FXDAL23 / 24"



Zonal Lumen Summary

Zone	Lumens	% Luminaire
0-30	65.00	2.50
0-40	160.11	6.30
0-60	520.01	20.40
60-80	560.19	22.00
70-80	299.36	11.70
90-120	794.96	31.20
90-180	1153.34	45.20
0-180	2551.81	100.00


Total Luminaire Efficiency = 100.00%



Product Dimension


12-inch

Weight: 2.75-lbs




24-inch

Weight: 4.41-lbs



Package


12-inch



Package
(Master)

2

24-inch



Package
(Master)

2